

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Gavel* 75DF

Section 18 Specific Exemption

For Control of *Phytophthora* Blight in Ginseng

(For Distribution only in the State of Michigan)

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- **This Specific Exemption Expires October 31, 2004.**
- The product, Gavel* 75DF fungicide, EPA Reg. No. 62719-441 manufactured by Dow AgroSciences LLC may be applied.
- All applicable conditions and restrictions on the federally registered product label for Gavel 75DF as well as the Section 18 use directions must be observed.

Direction of Use

Optimum disease suppression of the foliar infection of Ginseng with *Phytophthora cactorum* is achieved when the Gavel* 75DF fungicide is applied in a regularly scheduled preventative spray program. The addition of an agricultural surfactant will improve fungicide performance by providing a more uniform spray deposit, increased foliar redistribution, and improved fungicide retention during periods of wet weather.

Use Directions for Ginseng			
Diseases Controlled	Rate of Gavel 75DF (lb/acre)	Remarks	Restrictions
Foliar infection of <i>Phytophthora cactorum</i>	1.5 to 2.0 (0.12 – 0.16 lb zoxamide)	Start applications when environmental conditions are favorable for disease development. Use in a minimum spray volume of 80 gallons of water per acre and direct sprays to provide thorough coverage of foliage and stems.	Note: One pound of Gavel 75 DF is composed of 0.08 lb of zoxamide and 0.67 lb of mancozeb. Do not make more than 6 applications or apply more than 0.96 lb zoxamide active ingredient per acre per season. Consecutive sprays must be at least 7-days apart Do not apply within 28 days of harvest. Do not aerially apply. Do not apply through any type of irrigation system.

All agricultural workers/handlers (i.e., mixers, loaders, and applicators) applying zoxamide must wear coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, shoes, and socks. During mixing and loading, a chemical-resistant apron and goggles or a face shield must also be worn. Entry into a treated field prior to a 24-hour re-entry interval is prohibited without the protective equipment listed above.

*Trademark of Dow AgroSciences LLC

R-878-001

EPA-accepted: 05-12-2004

File symbol: 04-MI-12

Initial printing.